

Emergency Department
Care for Prepubescent
Patients Who Have Been
Sexually Abused
Joint Position Statement





Emergency Nurses Association
930 E. Woodfield Road
Schaumburg, IL 60173
847-460-4000
enau@ena.org
www.ena.org



International Association of Forensic Nurses
6755 Business Parkway, Ste 303
Elkridge, Maryland 21075
410-626 7805
info@ForensicNurses.org

Copyright © 2023 by the Emergency Nurses Association (ENA) and the International Association of Forensic Nurses (IAFN)

All rights reserved. No part of the material protected by this copyright may be reproduced or utilized in any form, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without written permission from the copyright owner.

This position statement, including the information and recommendations set forth herein, reflects ENA's current position with respect to the subject matter discussed herein based on current knowledge at the time of publication. This position statement is only current as of its publication date and is subject to change without notice as new information and advances emerge. The positions, information, and recommendations discussed herein are not codified into law or regulations. In addition, variations in practice that take into account the needs of the individual patient and the resources and limitations unique to the institution may warrant approaches, treatments, and/or procedures that differ from the recommendations outlined in this position statement. Therefore, this position statement should not be construed as dictating an exclusive course of management, treatment, or care, nor does adherence to this position statement guarantee a particular outcome. ENA's position statements are never intended to replace a practitioner's best nursing judgment based on the clinical circumstances of a particular patient or patient population. Position statements are published by ENA for educational and informational purposes only, and ENA does not "approve" or "endorse" any specific sources of information referenced herein. ENA assumes no liability for any injury and/or damage to persons or property arising out of or related to the use of or reliance on any position statement.

How to Reference This Document

Hornor, G., & Jennings, S. (2023). Emergency department care for prepubescent patients who have been sexually abused [Position statement]. Emergency Nurses Association.

<https://enau.ena.org/URL/EmergencyDepartmentCareforPrepubescentPatientsWhoHaveBeenSexuallyAbused>

Editorial and Production Credits

Chief Learning Officer: Suzanne Montella, MBA
Director, Emergency Nursing Practice Excellence: Catherine Olson, MSN, RN
Director, Branding and Creative Strategy: Denise Wawrzyniak, MA
Senior Development Editor: Chris Zahn, PhD

Authors and Reviewers

Authored by

Gail Hornor, DNP, CPNP, SANE-P
Sara Jennings, DNP, RN, SANE-A, SANE-P, AFN-BC

IAFN Staff Liaisons

Megan Lechner, DNP, APRN, CNS, SANE-A, SANE-P

Reviewed by

ENA 2022 Position Statement Committee

Brenda Braun, MSN, RN, CEN, CPEN, FAEN
Alison Day, PhD, MSN, BS, RN, FAEN
Dawn Peta, BN, RN, ENC(C)
Lisa Leiding, DNP, RN, CCHP-RN
Joanne Navaroli, MSN, BS, RN, CEN
Cheryl Riwitis, DNP, RN, FNP, EMT-B, CEN, CFRN, FNP-BC, TCRN, FAEN
Elizabeth Stone, PhD, RN, CPEN, CHSE, FAEN
Sharon Vanairsdale, DNP, MS, RN, APRN, NP, CNS, CEN, ACNS-BC, NP-C, FAEN, FAAN
Jean Proehl, MN, RN, CEN, CPEN, TCRN, FAEN, FAAN, Chairperson

ENA 2022 Board of Directors Liaison

Ryan Oglesby, PhD, RN, CEN

ENA 2022 Staff Liaison

Domenique Johnson, MSN, RN

Developed: 2016

Approved by the ENA Board of Directors: February 2017

Approved by the IAFN Board of Directors: November 2016

Reviewed and approved by the IAFN Board of Directors: 2023

Reviewed and approved by the ENA Board of Directors: 2023

Emergency Department Care for Prepubescent Patients Who Have Been Sexually Abused

Description

Sexual abuse of prepubescent children is a complex pediatric health care problem requiring medical intervention designed to meet the specific needs of this vulnerable population. Over 90% of children who experience sexual abuse are violated by an individual known to them or their caregivers: someone they know, trust, and love (Centers of Disease Control and Prevention [CDC], n.d.-b). While the initial report may be of a single encounter, abused children commonly experience mistreatment over multiple weeks, months, or years because of offenders' ready access to them (Elliott et al., 2022; U.S. Department of Justice, Office of Violence Against Women, 2016). Dependence on caregivers, as well as the child's developmental age and cognitive ability, create an opportunity for offenders to manipulate and silence children, especially if the offenders are family members or other trusted adults (Gewehr et al., 2021; U.S. Department of Justice, Office of Violence Against Women, 2016;). Sexual abuse is often hidden by offenders, unwitnessed by others, and many times leaves no obvious physical signs of its occurrence (Elliott et al., 2022; Gewehr et al., 2021; U.S. Department of Justice, Office of Violence Against Women, 2016). Children who experience sexual abuse often suffer from a wide range of health problems throughout their lifespan, with acute concerns that include sexually transmitted infections, physical injuries, and psychological trauma (Hailes et al., 2019; Hornor, 2017; Ports et al., 2016). Pediatric patients who have been sexually abused are at greater risk for many adverse physical and psychological problems that may extend into adulthood (Alley & Diamond, 2021; Hailes et al., 2019; Ports et al., 2016; Pulverman et al., 2018; U.S. Department of Justice, Office of Violence Against Women, 2016).

Pediatric patients who have been sexually abused should not be treated under the same policies or guidelines used in the adult emergency care setting (Hoehn et al., 2018; U.S. Department of Justice, Office of Violence Against Women, 2016). Since 2004, The Joint Commission has required emergency care facilities to have policies and procedures for identifying, assessing, and maintaining legal responsibility for collection, retention, and safekeeping of evidentiary material relating to patients who are victims of childhood sexual assault, sexual molestation, abuse, and neglect (Futures Without Violence, n.d.). Healthcare providers within the emergency care setting have become part of a multidisciplinary team that, along with criminal justice and child protective services, recognizes child sexual abuse as a public health issue with long-term physical and psychosocial effects on children, families, and communities at large (Bentivegna et al., 2019; Mathey et al., 2020; U.S. Department of Justice, Office of Violence Against Women, 2016). Using this trauma-informed approach, pediatric patients who have been sexually abused can benefit from specialized care by qualified pediatric sexual assault nurse examiners (SANE) (Goyal et al., 2013; Hornor et al., 2012; Mathey et al., 2020).

ENA and IAFN Position

It is the position of the Emergency Nurses Association and the International Association of Forensic Nurses that:

1. Children who may be victims of sexual abuse are provided a safe and private environment upon arrival at an emergency care setting.
2. Emergency nurses provide developmentally age-appropriate, empathetic, and non-judgmental support to pediatric patients as well as to the caregivers presenting with them.
3. Non-offending parents and caregivers of children who may have been sexually abused have access to a community-based advocate, where available, at any time during their stay.
4. Emergency nurses engage social workers, where available, to facilitate completion of a psychosocial assessment to determine risk factors and strengths within the family.
5. Emergency nurses use a developmentally appropriate, trauma-informed approach throughout the child's care.
6. Children who have been sexually abused receive consistent, objective, immediate medical care, and forensic evidence is collected by emergency nurses and medical providers who know the appropriate jurisdictional guidelines and protocols.
7. Whenever possible, forensic nurses with specialized education as pediatric SANEs or physicians trained as child abuse pediatricians are consulted or assigned to care for children who disclose sexual abuse or for whom there is concern that sexual abuse may have occurred.
8. Emergency nurses receive continuing education on medical forensic sexual abuse evaluation and maintain access to current legislative guidelines and protocols for proper examination and reporting options.
9. Emergency nurses screen and assess all acute and non-acute concerns or disclosures of sexual abuse, neglect, or suspected abuse, making proper jurisdictionally mandated reports, referrals, and transfers based on the need for time-sensitive exams or follow-up.
10. Patients who have been sexually abused receive medically appropriate evaluation, testing, and treatment according to the most current recommended pediatric standards, protocols, and guidelines.
11. Emergency nurses consult and collaborate with multiple agencies, including child advocacy centers, to develop an individualized, multidisciplinary approach to evaluation, treatment, and continuity of care specific to each patient's circumstances, to minimize short- and longer-term physical and psychological trauma.
12. Emergency nurses trigger community intervention in cases of non-disclosure where there are concerns of child abuse and remain cognizant that other children living in the same household are potential sexual abuse victims.

13. Emergency nurses participate in community education and research to identify and implement best practice standards of care for pediatric patients who have been sexually abused.
14. Healthcare facilities recognize that they have an obligation to provide or facilitate appropriate medical forensic intervention when a child at risk for sexual abuse presents for care, whether or not the facility has a SANE program or a pediatrician specializing in child abuse.
15. Policies regarding patient and staff safety are developed for instances where the person accompanying the child victim is the suspected offender, is suspected to be in collusion with the offender, or is otherwise believed to be contributing to the abuse.
16. Healthcare facilities support pediatric SANEs by developing or maintaining their own programs, or by establishing relationships and appropriate transfer arrangements with other facilities where pediatric SANE programs exist.

Background

Sexual abuse of children is a problem of epidemic proportions. According to the Centers for Disease Control & Prevention (n.d.-b.), 1 in 4 girls and 1 in 13 boys in the United States experience sexual abuse in childhood. However, the true prevalence of child sexual abuse is difficult to measure because it is almost certainly underreported. Retrospective studies of adults have shown that approximately 1 in 5 victims of child sexual abuse never disclose their victimization (Tener & Murphy, 2015). Although medical personnel are mandated reporters for all forms of child maltreatment in 2020, only 11.6% of child abuse and neglect cases were reported by medical personnel (U.S. Department of Health & Human Services (2022). Child victims of sexual abuse frequently receive care in emergency departments (Hornor et al., 2022). Medical personnel, including emergency nurses, must be versed in identification, care, and reporting of sexual abuse as well as other forms of child maltreatment (Goyal et al., 2013; Neggia et al., 2021). Children who have experienced sexual abuse can experience a wide range of related acute and chronic health problems. Acute health issues may include anxiety, injury, or sexually transmitted infections (Hornor, 2017). Other health problems such as depression, suicidal ideation, substance abuse, and sexual dysfunction may develop later in life (CDC, n.d.-b; Jenny et al., 2013; Selvius et al., 2018). In 2016, the Department of Justice released a national protocol (US DOJ, 2016) which recognizes that child sexual abuse differs from adult and adolescent abuse and compels a different response—a response that emergency providers and policy makers must seriously consider when implementing the level of care this special population deserves. Pediatric SANEs have been shown to improve the care of these vulnerable children compared to healthcare providers without specialized education in treatment of child sexual abuse (Hornor et al., 2012). Pediatric SANE care improves detection and documentation of ano-genital injury, includes testing for sexually transmitted infections and pregnancy, and requires the keeping of detailed documentation (Hornor et al., 2012; Hornor et al., 2012). While it may not be possible for all emergency care settings to offer pediatric SANE services, all must be prepared to facilitate access within their community to appropriate facilities and examiners capable of providing a high quality, evidence-based response for children who have been sexually abused (US DOJ, 2016).

Resources

Administration for Children & Families. (n.d.). Home page. U.S. Department of Health and Human Services. <https://www.acf.hhs.gov>

American Academy of Child and Adolescent Psychiatry. (2021, April). Trauma and child abuse resource center. http://www.aacap.org/AACAP/Families_and_Youth/Resource_Centers/Child_Abuse_Resource_Center/Home.aspx

Centers for Disease Control and Prevention. (n.d.). Child abuse and neglect prevention. <https://www.cdc.gov/violenceprevention/childabuseandneglect/index.html>

Centers for Disease Control and Prevention. (2021). Sexually transmitted diseases treatment guidelines, 2021. <https://www.cdc.gov/std/treatment-guidelines/toc.htm>

Child Welfare Information Gateway. (n.d.). Child abuse and neglect. <https://www.childwelfare.gov/topics/can/>

Childhelp National Child Abuse Hotline. (n.d.). Home page. <https://childhelpline.org/>

Trauma Informed Care Implementation Resource Center. (n.d.). What is trauma-informed care? <https://www.traumainformedcare.chcs.org/what-is-trauma-informed-care/>

U.S. Department of Justice, Office on Violence Against Women. (2016). A national protocol for sexual abuse medical forensic examinations—Pediatric. <https://www.justice.gov/ovw/file/846856/download>

References

Adams, J., Harper, K., Knudson, S., & Revilla, J. (1994). Examination findings in legally confirmed child sexual abuse: It's normal to be normal. *Pediatrics*, 94(3), 310–317. <https://doi.org/10.1542/peds.94.3.310>

Alley, J. & Diamond, L. (2021). Early childhood adversity and women's sexual behavior: The role of sensitivity to reward. *Developmental Review*, 61, Article 100982. <https://doi.org/10.1016/j.dr.2021.100982>

Bentivegna, K., Durante, A., Livingston, N., & Hunter, A. (2019). Child sexual abuse identified in emergency departments using ICD-9-CM, 2011 to 2014. *Journal of Emergency Medicine*, 56(6), 719–726. <https://doi.org/10.1016/j.jemermed.2019.03.022>

Centers for Disease Control and Prevention. (n.d.-b). Fast facts: Preventing child sexual abuse. <https://www.cdc.gov/violenceprevention/childsexualabuse/fastfact.html>

Elliott, S., Goodman, K., Bardwell, E., & Mullin, T. (2022). Reactions to the disclosure of intrafamilial childhood sexual abuse: Findings from the National Sexual Assault Online Hotline. *Child Abuse & Neglect*, 127, Article 105567. <https://doi.org/10.1016/j.chiabu.2022.105567>.

Futures Without Violence. (n.d.). Joint Commission standard PC-01.02.09 on victims of abuse. <https://www.futureswithoutviolence.org/joint-commissions-standard-pc-01-02-09-on-victims-of-abuse>

Gewehr, E., Hensel, B., & Volbert, R. (2021). Predicting disclosure latency in substantiated cases of child sexual abuse. *Child Abuse & Neglect*, 22, Article 105346. <https://doi.org/10.1016/j.chiabu.2021.105346>

Goyal, M. K., Mollen, C. J., Hayes, K. L., Molnar, J., Christian, C. W., Scribano, P. V., & Lavelle, J. (2013). Enhancing the emergency department approach to pediatric sexual assault care: implementation of a pediatric sexual assault response team program. *Pediatric Emergency Care*, 29(9), 969–973. <https://doi.org/10.1097/PEC.0b013e3182a21a0d>

Hailes, H., Yu, R., Danese, A., & Fazel, S. (2019). Long-term outcomes of childhood sexual abuse: An umbrella review. *The Lancet, Psychiatry*, 6(10), 830–839. [https://doi.org/10.1016/S2215-0366\(19\)30286-X](https://doi.org/10.1016/S2215-0366(19)30286-X)

Hoehn, E., Overmann, K., Fanapazir, N., Simonton, K., Makoroff, K., Bennett, B., Duma, E., & Kurowski, E. (2018). Improving emergency department care for pediatric victims of sexual abuse. *Pediatrics*, 142(6), Article e20181811. <https://doi.org/10.1542/peds.2018-1811>

Honor, G. (2017). Sexually transmitted infections and children: What the PNP should know. *Journal of Pediatric Health Care*, 31(2), 222–229. <https://doi.org/10.1016/j.pedhc.2016.04.016>

Honor, G., Benzinger, E., Doughty, K., Hollar, J., & Wolf, K. (2022). Pediatric forensic analysis: The Benefits of DNA collection beyond 24 hours. *Journal of Forensic Nursing*, 18(4), E29–E37. <https://doi.org/10.1097/JFN.0000000000000370>

- Honor, G., Thackeray, J., Scribano, P., Curran, S., & Benzinger, E. (2012). Pediatric sexual assault nurse examiner care: Trace forensic evidence, ano-genital injury, and judicial outcomes. *Journal of Forensic Nursing*, 8(3), 105–111. <https://doi.org/10.1111/j.1939-3938.2011.01131.x>
- Jenny, C., Crawford-Jakubiak, J. E., & American Academy of Pediatrics Committee on Child Abuse and Neglect. (2013). The evaluation of children in the primary care setting when sexual abuse is suspected. *Pediatrics*, 132(2), e558–e567. <https://doi.org/10.1542/peds.2013-1741>
- Mathey, L., Balsley, K., Hickey, S., Simonton, K., Celio, J., & Katsogridakis, Y. (2020). Optimizing interdisciplinary care of pediatric sexual assault and abuse in the emergency department: A quality improvement approach. *Clinical Pediatric Emergency Medicine*, 21(3), Article 100799. <https://doi.org/10.1016/j.cpem.2020.100799>
- Neggia, G., Diallo, D., Bontemps, S., Matthews, A., de Jorna, C., Martinot, A., & Dubos, T. (2021). Child abuse and neglect in a pediatric emergency department: Epidemiology and outcome. *Archives de Pédiatrie*, 28(7), 504–508. <https://doi.org/10.1016/j.arcped.2021.06.006>
- Ports, K. A., Ford, D. C., & Merrick, M. T. (2016). Adverse childhood experiences and sexual victimization in adulthood. *Child Abuse & Neglect*, 51, 313–322. <https://doi.org/10.1016/j.chiabu.2015.08.017>
- Pulverman, C., Kilimnik, C., & Meston, C. (2018). The impact of childhood sexual abuse on women's sexual health: A comprehensive review. *Sexual Medicine Reviews*, 6(2), 188–200. <https://doi.org/10.1016/j.sxmr.2017.12.002>
- Selvius, K., Wijkman, M., Slotboom, A., & Hedrick, J. (2018). Comparing intrafamilial child sexual abuse and commercial sexual abuse of children: A systematic literature review on research methods and consequences. *Aggression & Violent Behavior*, 41, 62–73. <https://doi.org/10.1016/j.avb.2018.05.008>
- Tener, D., & Murphy, S. (2015). Adult disclosure of child sexual abuse: A literature review. *Trauma, Violence, & Abuse*, 16(4), 391–400. <https://doi.org/10.1177/1524838014537906>
- U.S. Department of Health & Human Services. (2022). Child maltreatment. <https://www.acf.hhs.gov/sites/default/files/documents/cb/cm2020.pdf>
- U.S. Department of Health & Human Services, Administration for Children and Families, Administration on Children, Youth and Families, Children's Bureau. (2023). Child maltreatment 2021. <https://www.acf.hhs.gov/sites/default/files/documents/cb/cm2021.pdf>
- U.S. Department of Justice, Office on Violence Against Women. (2016). A national protocol for sexual abuse medical forensic examinations—Pediatric. <https://www.justice.gov/ovw/file/846856/download>